

9400026

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Genetics Corporation

Therens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR MPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE KE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT, 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'CX394c'

In Jestimonn Macrost, I have hereunto set my hand and caused the seal of the Hant Bariety Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of March in the year of our Lord

. Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRICULTURAL MARK	Ap de	Application is required in order to determine if a plant variety protection		
APPLICATION FOR PLANT VARIETY (Instructions on	TY PROTECTION reverse)	N CERTIFICATE	cer Int	tificate is to be issued (7 U.S.C. 2421) ormation is held confidential unti tificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION	OR 3.	VARIETY NAME
DEKALB Genetics Corporation		EX239C		CX394c
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include area code,		FOR OFFICIAL USE ONLY
3100 Sycamore Road			PVP	ONUMBER
DeKalb, IL 60115		815/758-3461		
				9400026
			F	Date
				Nov. 24, 1993
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botania		ı,	time
Glycine max L. Merr.	Leguminos	ae	G	<i> 1540</i>
8. CROP KIND NAME (Common Name)	<u> </u>	DATE OF DETERMINATION	F	Filing and Examination Fee:
Comboon		* .	E	s 232 <i>5 , ≥</i> 2
Soybean		Summer 1990	s	Date
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	ANIZATION (Corporation, part	nership, association, etc.)	R	Nov. 16, 1993
Corporation		,	E C	Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. DA	TE OF INCORPORATION	E	:300.00
Delaware		ne 15, 1988	v	
		•	E D	Mar. 5, 1996
Mr. Robert E. Roman, Jr., Assi DEKALB Genetics Corporation 3100 Sycamore Road	stant Genera	in and receive all papers al Counsel		
DeKalb, IL 60115		PHONE (Include ar	as codal:	815/756-3461
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fol	low INSTRUCTIONS on rever	(iii)		
a. X Exhibit A, Origin and Breeding History of the Variety.				
b. X Exhibit B, Novelty Statement.			• • • • •	
c. X Exhibit C, Objective Description of Variety.				
d. Exhibit D, Additional Description of Variety.		* **		
e. X Exhibit E, Statement of the Basis of Applicant's Ownersh	nip.			
t. X Seed Sample (2,500 viable untreated seeds). Date Seed	Sample mailed to Plant V	ariety Protection Office		
g X Filing and Examination Fee (\$2,150) made payable to "1				
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO Protection Act.)	OLD BY VARIETY NAME ONLY	AS A CLASS OF CERTIFIED SEE	D? (See sect	ion 83(a) of the Plant Variety
YES (II "YES." answer items 16 and 17 be	olow) 🔼 NO (If "No	D." skip to item 18 below)		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?	TO 17. IF "YES" TO	ITEM 16, WHICH CLASSES OF P	RODUCTION	BEYOND BREEDER SEED?
YES NO		NDATION R	*	[]
		ADATION [] H	EGISTERED	CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VA	RIETY IN THE U.S.?			
YES (If "YES," Ihrough Plant Variety Protection Act NO	Patent Act. Give date	,		
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M	MARKETED IN THE U.S. OR O	THER COUNTRIES?		
YES (If "YES," give names of countries and dates) $U \cdot S$.	A., spring	.993		
 The applicant(s) declare(s) that a viable sample of basic se request in accordance with such regulations as may be appl 	icable.		*.	•
The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle	d to protection under th	e provisions of section 42 of	the Plant	at the variety is distinct, Variety Protection Act.
Applicant(s) is (are) informed that false representation here	ein can jeopardize prote	cuon and result in penaltie	S	
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR TI	TLE	l.C	PATE
Robert Mark Lawson		r, Research Operations	1	lovember 1, 1993
SIGNÁTURE OF APPLICÁNT (Owner(s))	CAPACITY OR TI	TLE		ATE /

ORIGIN AND BREEDING HISTORY CX394c

CX394c is an F3 plant selection from the cross CX366 x Asgrow A3307. Details of the breeding history and seed multiplication are as follows:

Summer 19	985	Cross CX366 x A3307 was made.
Winter 19		F1 seed was grown. F1 plants were harvested and threshed to obtain F2 seed. F2 rows were grown and threshed to obtain F3 seed.
Summer 19		F3 seed was planted (range 641, rows 33-40 and range 642, rows 1-12).
Summer 19		Individual F4 plant rows were grown, selection 6TC91-123 (range 838, row 9). The row was bulk harvested to obtain F5 seed.
Summer 19		F5 seed of selection 6TC91-123 was coded SY81134 and yield tested.
Winter 19		F6 seed of SY81134 was grown (range 4, rows 35-37). F7 seed was bulk harvested.
Summer 19		SY81134 was yield tested. One hundred (100) pounds of source seed was produced.
Summer 19]	SY81134 was yield tested. Six thousand one hundred (6,100) pounds of breeder seed was produced.
Summer 19		SY81134 was yield tested. Thirty-two thousand (32,000) pounds of foundation seed was produced.
Summer 19	•	SY81134 was renamed EX239c and was yield tested. Five hundred thirty-five thousand (535,000) pounds of registered seed was produced.

STATEMENT OF UNIFORMITY AND STABILITY

CX394c was judged to be uniform for breeding use and testing after seven (7) generations. CX394c was been reproduced and judged uniform and stable for an additional three (3) generations.

February 5, 1993 EX239c was named CX394c.

STATEMENT OF VARIANTS

CX394c shows no variation other than what would be normally expected due to environment or that would occur for almost any characteristic during the course of repeated sexual reproduction.

NOVELTY STATEMENT

CX394c most closely resembles CX366, A3733, A3935, A4009, P9381, P9392, Fayette, and Williams 82. Prominent morphological differences include: (1) flower color--CX394c has purple flowers, whereas Williams 82, Fayette, P9381, and A4009 have white flowers; (2) pod color--CX394c has tan pods, whereas A3935 has brown pods; (3) cyst nematode resistance--CX394c has resistance to race 3 of cyst nematode, whereas CX366, A3733, and P9392 are susceptible to race 3 of cyst nematode.

Exhibit E

STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

DEKALB Genetics Corporation is the sole, original, and first breeder of the soybean variety CX394c.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
DEKALB Genetics Corporation	EX239c	CV204-
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co	odel LAZSEC	CX394c FOR OFFICIAL USE ONLY
3100 Sycamore Road DeKalb, IL 60115	<i>-</i>	PVPO NUMBER 9400026
Choose the appropriate response which characterizes the v in your answer is fewer than the number of boxes provided Starred characters ** are considered fundamental to an ade when information is available.	d, place a zero in the first box w	below. When the number of significant digits
1. SEED SHAPE: 1	T T 2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	· · · · · · · · · · · · · · · · · · ·	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Neb	soy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
18 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Blac	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green	*	
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons ('V'	Voodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	7,
		\mathcal{A}

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11. LEA	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corso	y 79'; 'Gasoy 17')		
12 154	AF COLOR:	·			· · · · · · · · · · · · · · · · · · ·
2	1 = 1 inha Coinn (Malabart (No. 14)	2 = Medium Green (('Corsoy 79'; 'Braxt	ton')	
13. FLO	OWER COLOR:				
2	· · · · · · · · · · · · · · · · · · ·	= White with purple t	hroat		
14, POD	COLOR:				
	1 = Tan 2 = Brown 3 = B	lack	··· · · · · · · · · · · · · · · · · ·		
T 15. PLA?	NT PUBESCENCE COLOR:		•		
2	1 = Gray 2 = Brown (Tawny)				
16. PLAN	NT TYPES:				· ·
2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('A	mcor'; 'Braxton')		
17. PLAN	NT HABIT:	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	2 = Semi-Determinat	e ('Will')		
18. MAT	URITY GROUP:				
18. MATC	URITY GROUP:	4 = I 5 = II 12 = IX 13 = X	6 = III	7 = IV	8 = V
0 6	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6 19. DISEA BAC ★ 0 ★ 0	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6 19. DISEA BAC ★ 0 ★ 0	URITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6 19. DISEA ★ 0 ★ 0 FUNG	TURITY GROUP: 1 = 000	12 = IX	6 = III	7 = IV	8 = V
0 6 19. DISEA ★ 0 ★ 0 FUNG	TURITY GROUP: 1 = 000	12 = IX	6 = III 0 Race 5	7 = IV Other (Spi	
0 6 19. DISEA BAC ★ 0 ★ 0 FUNG ★ 0	URITY GROUP: 1 = 000	12 = IX			
0 6 19. DISEA BAC ★ 0 ★ 0 FUNG ★ 0	URITY GROUP: 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII ASE REACTION: (Enter 0 = Not Tested; 1 = Susception of the second of the sec	12 = IX 13 = X ible; 2 = Resistant) sis) Race 4			
0 6 19. DISEA ★ 0 ★ 0 ★ 0 ★ 0 ★ 0	URITY GROUP: 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII ASE REACTION: (Enter 0 = Not Tested; 1 = Susception of the second of the sec	12 = IX 13 = X ible; 2 = Resistant) sis) Race 4			
0 6 19. DISEA ★ 0 ★ 0 ★ 0 ★ 0 ★ 0	URITY GROUP: 1 = 000	12 = IX 13 = X ible; 2 = Resistant) sis) Race 4			

19.	DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible;	2 = Resistant) (Continued)		
	FUNGAL DISEA	SES: (Continued)			
* *.	Pod and St	em Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae</i>	, ,		
	0 Purple Seed	d Stain <i>(Cercospora kikuchii)</i>			
•	0 Rhizoctoni	a Root Rot (Rhizoctonia solani)			
	Phytophthe	ora Rot (Phytophthora megasperma var. soja	· •)		
*	Race 1	O Race 2 O Race 3	Race 4 Race 5	0 Race 6 0 Race 7	
À	0 Race 8	0 Race 9 0 Other (Specify)		
	VIRAL DISEASES	5:	·		
	0 Bud Blight	(Tobacco Ringspot Virus)			
	O Yellow Mos	aic (Bean Yellow Mosaic Virus)			
*	O Cowpea Mo	saic (Cowpea Chlorotic Virus)			
	0 Pod Mottle	(Bean Pod Mottle Virus)			÷
*	O Seed Mottle	(Soybean Mosaic Virus)			-
	NEMATODE DISE	ASES:			
	Soybean Cy	st Nematode (Heterodera glycines)			
* *	0 Race 1	0 Race 2 2 Race 3 (Race 4 Other (Specify)	
	0 Lance Nema	tode (Hoplolaimus Colombus)			
*	0 Southern Ro	ot Knot Nematode (<i>Meloidogyne incognita</i>)			
*	0 Northern Ro	ot Knot Nematode (Meloidogyne Hapla)			٠.
		Knot Nematode (Meloidogyne arenaria)			
		matode (Rotylenchulus reniformis)			
	OTHER DIS	EASE NOT ON FORM (Specify):			
-					
	HYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Susc	eptible; 2 = Resistant)		
*	Iron Chlorosi	s on Calcareous Soil			
	Other (Specif	y)			
21, IN	SECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant)		
	_ [Beetle (Epilachna varivestis)			
[opper (Empoasca fabae)			
	Other (Specify				
22. IN	DICATE WHICH VA	RIETY MOST CLOSELY RESEMBLES TH	AT CURMITTED		
	CHARACTER	NAME OF VARIETY	CHARACTER	N	···
Pla	nt Shape	CX366	Seed Coat Luster	NAME OF VARIETY CX366	
Lea	f Shape	CX366	Seed Size	CX366	 -
Lea	f Color	CX366	Seed Shape	CX366	
Lea	f Size	CX366	Seedling Pigmentation	CX366	
			•		
FORM L	MGS-470-57 (6-83)				<u>_</u>

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING		LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY	SCORE		CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	+4	1.6	100			34.8	18.7	18.0	3
Name of Similar Variety CX366	0	1.8	97			34.6	19.2	18.0	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

9400026

EXHIBIT E

Statement of the Basis of Applicant's Ownership

CX394c was originated and developed by a breeder employed by DEKALB Genetics Corporation. By agreement between DEKALB Genetics Corporation and the breeder, all rights to any invention, discovery, or development are assigned to DEKALB Genetics Corporation. No rights to such invention, discovery, or development are retained by the breeder.